

Zestawienie stali zbrojeniowej

Rozbudowa szpitala w Puszczykowie								Nr rysunku		strona: 1/x	
POZ.SW2 Szyb windy								K-14			
Nr Pręta	Średnica	Długość	Ilość	Długość w [m] dla średnic Stal A-I				Długość w [m] dla średnic Stal A-IIIIN			
	[mm]	[m]	[szt]	4,5	6	8	10	8	10	12	16
1	12	2,95	36							106,20	
2	12	2,63	40							105,20	
3	12	2,17	52							112,84	
4	12	0,60	18							10,80	
5	12	1,80	10							18,00	
6	12	3,52	20							70,40	
7	12	1,29	76							98,04	
8	12	5,85	76							444,60	
8A	12	4,65	18							83,70	
9	12	2,30	268							616,40	
10	12	2,40	16							38,40	
12	12	3,12	10							31,20	
13	12	2,60	186							483,60	
14	12	1,41	48							67,68	
17	12	3,85	44							169,40	
19	12	0,85	39							33,15	
Razem długość			[m]							2489,6	
Masa 1mb			[kg]	0,125	0,222	0,395	0,617	0,395	0,617	0,888	1,578
Razem masa dla 1 elem.			[kg]							2210,3	
OGÓŁEM dla 1 elem.			[kg]	0,0				2210,3			
dodano 5% na zakłady 1 elem.			[kg]							2320,8	
OGÓŁEM dla 1 elem.			[kg]	0,0				2320,8			

